

Technical drawing of a reinforced concrete wall section, showing reinforcement details and dimensions.

Reinforcement Details:

- NR3:** Top reinforcement, 4#12, 24 cm spacing.
- NR4:** Bottom reinforcement, 20 cm spacing, 5 mm diameter.
- NR2:** Middle reinforcement, 2#20 cm, 1-86 cm.
- NR1:** Bottom reinforcement, 2#12 co 20 cm, 1-10 cm.

Dimensions:

- Overall height: 129 cm.
- Overall width: 40 cm.
- Reinforcement spacing: 24 cm (top), 20 cm (bottom), 2#20 cm (middle).
- Reinforcement diameter: 5 mm.
- Reinforcement length: 1-30 cm, 1-86 cm, 1-10 cm.
- Reinforcement quantity: 4 szt./m².
- Reinforcement area: 2#12 co 20 cm, 1-10 cm.

Technical drawing of a reinforced concrete structure, showing a cross-section and elevation views.

Cross-section details:

- NR3:** Top reinforcement, 4#12, 24 cm width.
- NR5:** Reinforcement in the upper stem, 2#6@18cm.
- NR8:** Reinforcement in the lower stem, #10@15cm, 1-445cm.
- NR4:** Reinforcement in the base, #6, l=30cm, 4s/l./m².
- NR7:** Reinforcement in the base, 3#2, l=230cm.
- NR6:** Reinforcement in the base, #2@20cm, 1-273cm.

Dimensions (cm):


- Stem width: 24
- Stem height: 215
- Base width: 40
- Base height: 80
- Total height: 295
- Reinforcement spacing: 18cm (NR5), 15cm (NR8), 20cm (NR6)

Elevation views (right side):

- Top elevation:** 19, 194, 19.
- Bottom elevation:** 15, 112, 15.

skala 1:25

- BETON C25/30
 - STAL A-IIIIN (BSt500S)
- ZESTAWIENIE STALI ZBROJENIOWEJ
WG ZAŁĄCZNIKA

	ANDRZEJ M. WOJTAS AUTORSKIE BIURO ARCHYTEKTONICZNE 20-610 LUBLIN, UL. PIASTOWSKA 56, TEL./ FAX (81) 525-15-52 tel.kom. 601 58 99 68
ROZBUDOWA BUDYNKU SPECJALNEGO OŚRODKA SZKOLNO - WYCHOWAWCZEGO im. H. Sienkiewicza w Świdniku 21-040 ŚWIDNIK, ul. Norwida 4, dz. nr ewid. 1165/15, 1165/16, 1165/18	
KONSTRUKCJA	
PROJEKT WYKONAWCZY	
PROJEKTOWAŁ :	MGR INŻ. MARCIN STRÓZIK upr. bud. nr 1081/Lb/90
SPRAWDZIŁ :	MGR INŻ. TOMASZ IŻYCKI upr. bud. nr 1412/Lb/91
DATA : 12.2020	ŚCIANA MONOL. W OSI "C", P _{0z} 4.3